



**HANSON-LORAN COMPANY, INC.**  
**6700 CABALLERO BOULEVARD**  
**BUENA PARK CA 90620**

**HEALTH EMERGENCIES**  
**SPILL EMERGENCIES**  
**CALL CHEMTREC (800) 424-9300**

**MATERIAL SAFETY DATA SHEET**

**PRODUCT IDENTIFICATION:**

PRODUCT NAME: UL-404 DYNAMITE CONCENTRATED  
 HAZARDOUS MATERIAL CLASSIFICATION: 1  
 CHEMICAL FAMILY: WATER BASE CLEANER AND DEGREASER  
 FORMULA: BLEND

HAZARD RATING		SCALE
HEALTH	1	4 = EXTREME
FIRE	0	3 = HIGH
REACTIVITY	0	2 = MODERATE
SPECIAL	0	1 = SLIGHT
		0 = INSIGNIFICANT

**INGREDIENTS:**

<u>CAS REGISTRY NO.</u>	<u>%V</u>	<u>CHEMICAL NAME</u>	<u>IN NTP, IARC OR OSHA</u>		
			<u>ACGIV(TLV)</u>	<u>OSHA(PEL)</u>	<u>OTHER</u>
7732-18-5	63.595%	H <sub>2</sub> O (WATER)	NONE	NONE	NONE
1310-58-3	5.3463%	CAUSTIC POTASH LIQUID	NOT ESTABLISHED		
3012-65-5	2.070%	CITRUS ACID	NONE	NONE	NONE
7320-34-5	3.1057%	TRISODIUM PHOSPHATE/TSP	NONE	NONE	NONE
111-76-2	3.806%	ETHYLENE GLYCOL MONOBUTYL ETHER	NONE	NONE	NONE
1322-93-6	1.035%	ALKYL ARYL SULFONATE OR SODIUM DIISOPROPYLNAPHTHALENE SULFONATE	NONE	NONE	NONE
127087-87-0	3.1618%	NON-IONIC SURFACTANT OR NONYLPHENOXPOLYETHOXYETHANOL	NONE	NONE	NONE
NOT APPLICABLE	5.464%	ALKYL ARYL ALKOXY POTASSIUM SALT	NONE	NONE	NONE
3567-69-9	.0017%	ACID RED #14	NONE	NONE	NONE
025498-49-1	5.3463%	TRIPOLYPORPYLENE GLYCOL METHYL ETHER	NONE	NONE	NONE
67784-80-9	5.00%	FATTY ACID METHYL ESTERS (ALKYL C14-C18-METHYL ESTERS)	NONE	NONE	NONE

**PHYSICAL DATA:**

BOILING POINT: 212°F. VOC CONTENT: 34.14 GRAMS/LITER  
 VAPOR PRESSURE: 55 mmHg @ 20°C. APPROX. WATER SPECIFIC GRAVITY: (H<sub>2</sub>O = 1) 1.3  
 PERCENT VOLATIVE BY WEIGHT: 92% PERCENT SOLID BY WEIGHT: 8%  
 SOLUBILITY IN WATER: 100% EVAPORATION RATE (BUTYLACETATE=1): SLOWER THAN WATER  
 APPEARANCE AND ODOR: RED LIQUID WITH A PLEASANT ODOR pH: 14  
THIS MATERIAL IS: LIQUID

**FIRE AND EXPLOSION HAZARD DATA:**FLASH POINT: N/A F N/A C  
N/AFLAMMABLE LIMITS LFL N/A UFL:

EXTINGUISHING MEDIA: NONE

SPECIAL FIRE FIGHTING PROCEDURES: NON FLAMMABLE

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

**HEALTH AND HAZARD DATA:**

EFFECTS OF OVER EXPOSURE (FOR EACH POTENTIAL ROUTE OF EXPOSURE):

INHALED: NOT DETERMINED. AVOID INHALATION OF PRODUCT MIST. MAY CAUSE RESPIRATORY IRRITATION.

SKIN: MODERATE DERMAL IRRITANT.

EYES: MODERATE EYE IRRITANT.

SWALLOWED: HARMFUL IF SWALLOWED

---

**HEALTH EFFECTS OR RISKS FROM EXPOSURE:**

ACUTE: NO EVIDENCE OF ADVERSE EFFECTS.

CHRONIC: NO EVIDENCE OF ADVERSE EFFECTS.

---

**RECOMMENDED FIRST AID PROCEDURES:**

SKIN CONTACT: WASH AREAS WITH SOAP AND WATER.

EYE CONTACT: FLUSH EYES WITH LARGE QUANTITIES OF WATER. IF IRRITATION PERSISTS, CALL A PHYSICIAN.

INHALATION: MOVE TO WELL VENTILATED AREA.

SWALLOWED: DRINK PROMPTLY LARGE QUANTITIES OF WATER. CALL A PHYSICIAN IMMEDIATELY.

---

**REACTIVITY DATA:**

STABILITY: STABLE

CONDITIONS TO AVOID: NONE

INCOMPATIBILITY (MATERIALS TO AVOID): DO NOT MIX WITH STRONG ACIDS

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: NONE

---

## CALIFORNIA PROPOSITION 65

**HAZARDOUS SUBSTANCE <=>1%**

<u>CHEMICAL</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION</u>
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	3.806%

**SPILL OR LEAK PROCEDURES:**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: KEEP UNNECESSARY PEOPLE AWAY. DIKE AND CONTAIN SPILL. RECOVER LIQUID INTO PROPER WASTE CONTAINERS. SOAK UP RESIDUAL LIQUID WITH ABSORBENT MATERIAL.

---

**WASTE DISPOSAL METHOD:**

DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

---

**CERCLA (Superfund) REPORTABLE QUANTITY (IN LBS.):** NONE

---

**RCRA HAZARDOUS WASTE NO. (49 CFR 261.33):** NONE

---

**SPECIAL PROTECTION INFORMATION:**

RESPIRATORY PROTECTION (SPECIFY TYPE):	NONE
VENTILATION:	LOCAL EXHAUST
PROTECTIVE GLOVES:	RUBBER GLOVES
EYE PROTECTION:	SAFETY GLASSES
OTHER PROTECTIVE EQUIPMENT:	NONE

---

**SPECIAL PRECAUTIONS:**

FOR HANDLING AND STORAGE: STORE IN COOL, DRY AREA WITH CONTAINER TIGHTLY SEALED.

---

THIS MATERIAL SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION, AND INVESTIGATION. WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF, HANSON-LORAN CO. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.