

# Safety Data Sheet

## 75% Alcohol wet wipes

Safety Data Sheet  
according to Regulation (EU) 2015/830  
Date of issue: 3/3/2020 Revision date: 3/3/2020 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : 75% Alcohol wetwipes

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses  
Use of the substance/mixture : Wet wipes  
1.2.2. Uses advised against  
Restrictions on use : No information available

#### 1.3. Details of the supplier of the safety data sheet

#### 1.4. Emergency telephone number

+86 571 86955263

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]  
Flammable liquids, Category 2 H225  
Serious eye damage/eye irritation, Category 2 H319  
Full text of H statements : see section 16  
Adverse physicochemical, human health and environmental effects  
Highly flammable liquid and vapour. Causes serious eye irritation.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]  
Hazard pictograms (CLP)



GHS02 GHS07

Signalword (CLP)  
Hazard statements (CLP)  
Precautionary statements (CLP)

- ⚠ Danger
- H225 - Highly flammable liquid and vapour
- H319 - Causes serious eye irritation.
- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233 - Keep container tightly closed.
- P240 - Ground and bond container and receiving equipment.
- P241 - Use explosion-proof equipment.
- P264 - Wash hands, forearms and face thoroughly after handling
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.

#### 2.3. Other hazards

No additional information available

EN (English)

2/12

## 75% Alcohol wet wipes

Safety Data Sheet  
according to Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-02-00-5	75%	Flam. Liq. 2, H225 Eye Dam./Irr. 2, H319
Water(Aqua)	(CAS-No.) 7732-18-5	25%	Not classified

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.  
First-aid measures after inhalation : Remove from exposure, taking care to avoid inhaling vapours. Keep warm rest. Obtain medical attention if symptoms appear  
First-aid measures after skin contact : Wash skin with water. Obtain medical attention if soreness or redness persists  
First-aid measures after eye contact : Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Remove contact lenses if possible. Obtain medical attention  
First-aid measures after ingestion : Do not induce vomiting. Obtain medical attention if symptoms appear or if large quantities have been ingested. Accidental ingestion at a level high enough to be dangerous to health is unlikely.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Dry chemical, alcohol resistant foam or carbon dioxide, water spray.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Oxides of carbon  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.  
Be aware of possibility of re-ignition. This product gives off flammable vapours which may form explosive mixtures with air. Vapours with a source of ignition can create a flash fire, not a UVCE (Unconfined Vapour Cloud Explosion). Run off to sewer may cause fire or explosion hazard. Containers may explode in heat of fire. Use water to cool fire-exposed containers and to disperse vapour.

EN (English)

2/12

# Safety Data Sheet –Contd.

## 75% Alcohol wet wipes

### Safety Data Sheet

according to Regulation (EU) 2015/830

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with eyes. Eliminate all sources of ignition. Wear appropriate protective clothing. Avoid breathing vapours. Keep unnecessary people away, isolate hazard area and deny entry. Consider need for evacuation. Stay upwind and keep out of low areas where vapour may accumulate and ignite. Stop leak if this can be achieved without risk. For small spills take up with a non-combustible absorbent. For large spills, dike or dam for later disposal.

###### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection"

##### 6.2. Environmental precautions

Try to prevent the material from entering drains or water courses. Advise Authorities if spillage has entered water course or sewer or has contaminated soil or vegetation

##### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small spills: Allow to evaporate if it is safe to do so or contain and absorb using earth, sand or other inert material then transfer into suitable containers for recovery or disposal. Ventilate contaminated area thoroughly. Large spills: Dike or dam to contain for later disposal. Contact emergency authorities.

Other information : Dispose of materials/solid residues at an authorized site.

##### 6.4. Reference to other sections

For further information refer to section 13.

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

##### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Storage areas should be cool, dry, well ventilated, out of direct sunlight and separated from oxidizing and strong mineral acids. Store away from sources of heat or ignition.

##### 7.3. Specific end use(s)

No additional information available.

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

Ethyl alcohol (64-17-5)		
Austria	MAK (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Austria	MAK (ppm)	1000 ppm
Austria	MAK Short time value (mg/m <sup>3</sup> )	3800 mg/m <sup>3</sup>
Austria	MAK Short time value (ppm)	2000 ppm

EN (English)

3/12

## 75% Alcohol wet wipes

### Safety Data Sheet

according to Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)		
Belgium	Limit value (mg/m <sup>3</sup> )	1907 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	1000 ppm
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup>
Croatia	GVJ (graničnavorjednost izloženosti) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Croatia	GVJ (granična vrijednost izloženosti) (ppm)	1000 ppm
Czech Republic	Expoziciční limit (PEL) (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvaig) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvaig) (ppm)	1000 ppm
Estonia	OEL TWA (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup>
Estonia	OEL TWA (ppm)	500 ppm
Estonia	OEL STEL (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Estonia	OEL STEL (ppm)	1000 ppm
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	1000 ppm
Finland	HTP-arvo (15 min)	2500 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	1300 ppm
France	VME (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
France	VME (ppm)	1000 ppm
France	VLE (mg/m <sup>3</sup> )	9500 mg/m <sup>3</sup>
France	VLE (ppm)	5000 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	960 mg/m <sup>3</sup> (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	500 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Greece	OEL TWA (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	1000 ppm
Hungary	AK-érték	1900 mg/m <sup>3</sup>
Hungary	CK-érték	7600 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (ppm)	1000 ppm
Latvia	OEL TWA (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup>
Lithuania	IPRV (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup>
Lithuania	IPRV (ppm)	500 ppm
Lithuania	TPRV (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Lithuania	TPRV (ppm)	1000 ppm
Netherlands	Grenswaarde TGG 8h (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup>
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Poland	NDS (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Portugal	OEL TWA (ppm)	1000 ppm
Romania	OEL TWA (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>

EN (English)

4/12

# Safety Data Sheet –Contd.

## 75% Alcohol wet wipes Safety Data Sheet

according to Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)		
Romania	OEL TWA (ppm)	1000 ppm
Romania	OEL STEL (mg/m <sup>3</sup> )	9500 mg/m <sup>3</sup>
Romania	OEL STEL (ppm)	5000 ppm
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	960 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	500 ppm
Slovakia	NPHV (hraničná) (mg/m <sup>3</sup> )	1920 mg/m <sup>3</sup>
Slovenia	OEL TWA (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	1000 ppm
Slovenia	OEL STEL (mg/m <sup>3</sup> )	7600 mg/m <sup>3</sup>
Slovenia	OEL STEL (ppm)	4000 ppm
Spain	VLA-EC (mg/m <sup>3</sup> )	1910 mg/m <sup>3</sup>
Spain	VLA-EC (ppm)	1000 ppm
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	500 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	1000 ppm
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	1920 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	5760 mg/m <sup>3</sup> (calculated)
United Kingdom	WEL STEL (ppm)	3000 ppm (calculated)
Russian Federation	OEL TWA (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup> (vapor)
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	950 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	500 ppm
Norway	Grenseverdier (Kortidsverdi) (mg/m <sup>3</sup> )	1187.5 mg/m <sup>3</sup> (valuecalculated)
Norway	Grenseverdier (Kortidsverdi) (ppm)	625 ppm (valuecalculated)
Switzerland	MAK (mg/m <sup>3</sup> )	960 mg/m <sup>3</sup>
Switzerland	MAK (ppm)	500 ppm
Switzerland	KZGW (mg/m <sup>3</sup> )	1920 mg/m <sup>3</sup>
Switzerland	KZGW (ppm)	1000 ppm
Australia	TWA (mg/m <sup>3</sup> )	1880 mg/m <sup>3</sup>
Australia	TWA (ppm)	1000 ppm
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	1880 mg/m <sup>3</sup>
Canada (Quebec)	VEMP (ppm)	1000 ppm
USA - ACGIH	ACGIH STEL (ppm)	1000 ppm
USA - IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
USA - NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
USA - NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
USA - OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

EN (English)

6/12

## 75% Alcohol wet wipes Safety Data Sheet

according to Regulation (EU) 2015/830

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

No special protection required under normal conditions.

#### Eye protection:

No special protection required under normal conditions.

#### Skin and body protection:

No special protection required under normal conditions.

#### Respiratory protection:

No special protection required under normal conditions.  
In case of insufficient ventilation, wear suitable respiratory equipment.

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Fluidsoaked papertowel
Colour	No data available
Odour	: mild, pleasant, like wine or whisky. Weak, ethereal, vinous
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: >24 °C
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: < 0.8858 kg/m <sup>3</sup> (20 °C)
Solubility	: WaterSoluble
Partition coefficient n-octanol/water (LogPow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

### 9.2. Other information

No additional information available SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

EN (English)

6/12

# Safety Data Sheet –Contd.

## 75% Alcohol wet wipes

### Safety Data Sheet

according to Regulation (EU) 2015/830

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)  Not classified

Acute toxicity (dermal)  Not classified

Acute toxicity (inhalation)  Not classified

#### Ethyl alcohol (64-17-5)

LD50 oral rat 10470 mg/kgbw

LC50 inhalation rat (mg/l) 50000 mg/m<sup>3</sup>

LD50 dermal rabbit 15800 mg/kg bw

Skin corrosion/irritation  The results indicate that ethanol has a low potential to irritate the skin of humans under anything other than extreme and unrealistic exposure conditions.

Serious eye damage/irritation  Adverse effect observed (irritating)

Respiratory or skin sensitisation  There are no alerts for respiratory sensitisation and ethanol is not a skin sensitizer. On this basis and the lack of any specific data on respiratory sensitisation, no classification for respiratory sensitisation is warranted.

Genotoxicity  There is no significant evidence that ethanol is a genotoxic hazard according to the criteria normally applied for the purposes of classification and labeling, when data that is only applicable to the consumption of alcoholic beverages is excluded, the limit doses normally applied in guideline studies are taken into consideration and the fact that confounding due to other toxic effects associated with very high doses are accepted.

Carcinogenicity  There is no significant evidence to warrant a classification of ethanol for cancer in the context of the relevant classification and labeling regulations for chemicals/substances.

Reproductive toxicity  Overall, it can be concluded that adverse effects from the effects of ethanol to attention are only seen at very high doses only relevant to deliberate and repeated oral consumption of ethanol. The most important studies are the 2-generation study which shows a NOAEL of 13.9g/kg and the inhalation studies that show a NOAEC of 16000ppm (the maximum tested exposure, which is close to or exceeding 50% of the lower explosive limit). On this basis, it can be concluded that it is impossible to reach the doses of ethanol required to produce any sort of adverse reproductive response other than by repeated oral consumption of large amounts of ethanol, doses normally only associated with problem drinking, and therefore classification for reproductive or developmental toxicity in the context of a chemical substance is not appropriate or warranted.

STOT-single exposure  Acute effects in humans are only seen at high concentrations and are subtle. They are not considered to be sufficient to trigger a STOT (SE) classification.

STOT-repeated exposure  Repeated dose effects are only seen at concentrations well above the levels required for STOT (RE) classification.

Aspiration hazard  Not classified

EN (English)

012

## 75% Alcohol wet wipes

### Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general  The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Acute aquatic toxicity  Not classified

Chronic aquatic toxicity  Not classified

#### Ethyl alcohol (64-17-5)

LC50 fish 11200 mg/L (Exposure time: 96 h - Species: *Oncorhynchus mykiss* [static])

EC50 freshwater invertebrates 1 5012 mg/L (Exposure time: 48 h - Species: *Ceriodaphnia dubia*)

EC50 marine water invertebrates 2 857 mg/L (Exposure time: 48 h - Species: *Artemia salina*)

EC50/LC50 for freshwater algae 275 mg/L (Exposure time: 72 h - Species: *Chlorella vulgaris*)

EC50/LC50 for marine water algae 1900 mg/L (Exposure time: 96h - Species: *Heptopsisigma akashiwo*)

#### 12.2. Persistence and degradability

Biodegradation in water readily biodegradable

#### 12.3. Bioaccumulative potential

#### Ethyl alcohol (64-17-5)

Log Pow -0.35

#### 12.4. Mobility in soil

No additional information available.

#### 12.5. Results of PBT and vPvB assessment

Based on the assessment described in the subsections above the substance is not a PBT / vPvB substance.

#### 12.6. Other adverse effects

No additional information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods  Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations  Dispose in a safe manner in accordance with local/national regulations.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1170	1170	1170	1170	1170

14.2. UN proper shipping name				
ETHANOL (ETHYL ALCOHOL)	ETHANOL (ETHYL ALCOHOL)	Ethanol	ETHANOL (ETHYL ALCOHOL)	ETHANOL (ETHYL ALCOHOL)

#### Transport document description

UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 Ethanol, 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II
--	--	------------------------	--	--






EN (English)

012

# Safety Data Sheet –Contd.

## 75% Alcohol wet wipes

Safety Data Sheet  
according to Regulation (EU) 2015/830

(D/E)				
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 144, 601
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	

**33**  
**1170**

Tunnel restriction code (ADR)	: D/E
EAC code	: 2YE

#### Transport by sea

Special provisions (IMDG)	: 144
Limited quantities (IMDG)	: 1.1
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D

EN (English)

9132

## 75% Alcohol wet wipes

Safety Data Sheet  
according to Regulation (EU) 2015/830

Storage category (IMDG)	: A
Properties and observations (IMDG)	: Colourless, volatile liquids Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water.
<b>Air transport</b>	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A58, A180
ERG code (IATA)	: 3L

#### Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 144, 601
Limited quantities (ADN)	: 1.1
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VED1
Number of blue cones/flights (ADN)	: 1

#### Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 144, 601
Limited quantities (RID)	: 1.1
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tank s (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcel's) (RID)	: CE7
Hazard identification number (RID)	: 33

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions  
Ethyl alcohol is not on the REACH Candidate List  
Ethyl alcohol is not on the REACH Annex XIV List  
Directive 2012/18/EU (SEVESO III)

EN (English)

10112

# Safety Data Sheet –Contd.

## 75% Alcohol wet wipes

### Safety Data Sheet

according to Regulation (EU) 2015/830

#### 15.1.2. National regulations

Listed on IARC (International Agency for Research on Cancer)  
 Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on the Canadian DSL (Domestic Substances List)  
 Listed on IECS (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on the Korean ECL (Existing Chemicals List)  
 Listed on NZIOC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on the United States TSCA (Toxic Substances Control Act) inventory  
 Listed on the Canadian IDL (Ingredient Disclosure List)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on Turkish inventory of chemical  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### Germany

Reference to AwSV  Water hazard class (WGK) 1, low hazard to waters (Classification according to AwSV, ID No. 96)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV  Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW -lijst van kankerverwekkende stoffen  Ethylalcohol is listed

SZW -lijst van mutagenstoffen  The substance is not listed

NIET-limietieve lijst van voor de voortplanting giftige stoffen – Borstvoeding  Ethyl alcohol is listed

NIET-limietieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid  Ethyl alcohol is listed

NIET-limietieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling  Ethyl alcohol is listed

#### Denmark

Class for fire hazard  Class: 1

Store unit  1 liter

Classification remarks  F<Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids must be followed

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

#### SECTION 16: Other information

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Issue Date 03-Mar-2020  
 Revision date 03-Mar-2020  
 Revision Note Not applicable

#### Key or legend to abbreviations and acronyms used in the safety data sheet

TWA - TWA (time-weighted average)  
 STEL - STEL (Short Term Exposure Limit)  
 Ceiling - Maximum limit value  
 TSCA - United States Toxic Substances Control Act Section 9(b) Inventory  
 DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List  
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
 ENCS - Japan Existing and New Chemical Substances  
 IECS - China Inventory of Existing Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

EN (English)

11/12

## 75% Alcohol wet wipes

### Safety Data Sheet

according to Regulation (EU) 2015/830

AICS - Australian Inventory of Chemical Substances

#### Key literature references and sources for data

ECHA: <http://echa.europa.eu/>

IFA GESTIS: [http://gestis-en.itrust.de/nt/gateway.dll?templates\\$fn=default.htm\\$vid=geskseng.sdbeng](http://gestis-en.itrust.de/nt/gateway.dll?templates$fn=default.htm$vid=geskseng.sdbeng)

HSDB: <http://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

#### Full text of H- and EUH-statements:

Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English)

12/12